

References

- [ARS06] A. Agashe, K. A. Ribet, and W. A. Stein, *The Manin Constant*, JPAM Coates Volume (2006), <http://wstein.org/papers/ars-manin/>.
- [BCDT01] C. Breuil, B. Conrad, F. Diamond, and R. Taylor, *On the modularity of elliptic curves over \mathbf{Q} : wild 3-adic exercises*, J. Amer. Math. Soc. **14** (2001), no. 4, 843–939 (electronic). MR 2002d:11058
- [BCP97] W. Bosma, J. Cannon, and C. Playoust, *The Magma algebra system. I. The user language*, J. Symbolic Comput. **24** (1997), no. 3–4, 235–265, Computational algebra and number theory (London, 1993). MR 1 484 478
- [BD90] Massimo Bertolini and Henri Darmon, *Kolyvagin’s descent and Mordell-Weil groups over ring class fields*, J. Reine Angew. Math. **412** (1990), 63–74. MR 1079001 (91j:11048)
- [BD98] ———, *Non-triviality of families of Heegner points and ranks of Selmer groups over anticyclotomic towers*, J. Ramanujan Math. Soc. **13** (1998), no. 1, 15–24. MR 1626704 (99h:11053)
- [BFH90] Daniel Bump, Solomon Friedberg, and Jeffrey Hoffstein, *Nonvanishing theorems for L -functions of modular forms and their derivatives*, Invent. Math. **102** (1990), no. 3, 543–618. MR MR1074487 (92a:11058)
- [Bir01] Bryan Birch, *Heegner points: The beginnings*, <http://www.msri.org/publications/ln/msri/2001/rankin-L/birch/1/index.html>.
- [BMSW07] Baur Bektemirov, Barry Mazur, William Stein, and Mark Watkins, *Average ranks of elliptic curves: tension between data and conjecture*, Bull. Amer. Math. Soc. (N.S.) **44** (2007), no. 2, 233–254 (electronic). MR MR2291676
- [CES03] B. Conrad, S. Edixhoven, and W.A. Stein, *$J_1(p)$ Has Connected Fibers*, Documenta Mathematica **8** (2003), 331–408, <http://www.wstein.org/papers/j1p/>.
- [Cor02] Christophe Cornut, *Mazur’s conjecture on higher Heegner points*, Invent. Math. **148** (2002), no. 3, 495–523, <http://www.springerlink.com/content/khdtndefubkafw47/>.
- [ÇW08] Mirela Çiperiani and Andrew Wiles, *Solvable points on genus one curves*, Duke Math. J. **142** (2008), no. 3, 381–464. MR 2412044 (2009m:11092)

- [DD09] T. Dokchitser and V. Dokchitser, *Root numbers and parity of ranks of elliptic curves*, <http://arxiv.org/abs/0906.1815>.
- [Del02] Christophe Delaunay, *Formes modulaires et invariants de courbes elliptiques définies sur \mathbf{Q}* , Thèse de Doctorat, Université Bordeaux I, available at <http://math.univ-lyon1.fr/~delaunay/>.
- [DWS03] N. Dummigan, M. Watkins, and W. A. Stein, *Constructing Elements in Shafarevich-Tate Groups of Modular Motives*, Number theory and algebraic geometry, ed. by Miles Reid and Alexei Skorobogatov **303** (2003), 91–118.
- [Gro91] B. H. Gross, *Kolyvagin's work on modular elliptic curves, L-functions and arithmetic* (Durham, 1989), Cambridge Univ. Press, Cambridge, 1991, pp. 235–256.
- [Gro01] ———, *Heegner points and Rankin L-series, 1980-1987*, <http://www.msri.org/publications/ln/msri/2001/rankin-L/gross/1/index.html>.
- [GV10] Matthew Greenberg and John Voight, *Computing systems of hecke eigenvalues associated to hilbert modular forms*, Math. Comp. (2010), <http://www.cems.uvm.edu/~voight/articles/heckefun-021910.pdf>.
- [GZ86] B. Gross and D. Zagier, *Heegner points and derivatives of L-series*, Invent. Math. **84** (1986), no. 2, 225–320. MR 87j:11057
- [Hay95] Yoshiki Hayashi, *The Rankins L-function and Heegner points for general discriminants.*, Proc. Japan Acad. Ser. A Math. Sci. (1995), no. 71(2), 30–32.
- [Hes02] F. Hess, *Computing Riemann-Roch spaces in algebraic function fields and related topics*, J. Symbolic Comput. **33** (2002), no. 4, 425–445. MR 1890579 (2003j:14032)
- [Hop10] Kimberly Hopkins, *Higher weight heegner points*, Experiment. Math. (2010), <http://www.ma.utexas.edu/users/khopkins/Hopkins-Heg.pdf>.
- [How04] Benjamin Howard, *The Heegner point Kolyvagin system*, Compos. Math. **140** (2004), no. 6, 1439–1472. MR MR2098397 (2006a:11070)
- [JK09] Dimitar Jetchev and Ben Kane, *Equidistribution of Heegner Points and Ternary Quadratic Forms*.

- [JLS07] D. Jetchev, K. Lauter, and W. Stein, *Explicit heegner points: Kolyvagin's conjecture and nontrivial elements in the Shafarevich-Tate group*, published, <http://wstein.org/papers/kolyconj/>.
- [JS07] Dimitar P. Jetchev and William Stein, *Visibility of the Shafarevich-Tate group at higher level*, Doc. Math. **12** (2007), 673–696, <http://wstein.org/papers/vishigher/>. MR 2377239 (2009c:11081)
- [Kol88] V. A. Kolyvagin, *The Mordell-Weil and Shafarevich-Tate groups for Weil elliptic curves*, Izv. Akad. Nauk SSSR Ser. Mat. **52** (1988), no. 6, 1154–1180, 1327. MR 90f:11035
- [Kol91] ———, *On the structure of Selmer groups*, Math. Ann. **291** (1991), no. 2, 253–259. MR 93e:11073
- [KSW08] Koopa Tak-Lun Koo, William Stein, and Gabor Wiese, *On the generation of the coefficient field of a newform by a single Hecke eigenvalue*, J. Théor. Nombres Bordeaux **20** (2008), no. 2, 373–384. MR 2477510 (2010d:11047)
- [Maz79] B. Mazur, *On the arithmetic of special values of L functions*, Invent. Math. **55** (1979), no. 3, 207–240. MR 82e:14033
- [Mes86] Jean-François Mestre, *Formules explicites et minoration de conducteurs de variétés algébriques*, Compositio Math. **58** (1986), no. 2, 209–232. MR 844410 (87j:11059)
- [MM91] M. Ram Murty and V. Kumar Murty, *Mean values of derivatives of modular L -series*, Ann. of Math. (2) **133** (1991), no. 3, 447–475. MR MR1109350 (92e:11050)
- [MR04] Barry Mazur and Karl Rubin, *Kolyvagin systems*, Mem. Amer. Math. Soc. **168** (2004), no. 799, viii+96. MR MR2031496 (2005b:11179)
- [MS10] Barry Mazur and William Stein, *What is Riemann's Hypothesis?*, <http://wstein.org/rh/>.
- [Par00] Pierre Parent, *Torsion des courbes elliptiques sur les corps cubiques*, Ann. Inst. Fourier (Grenoble) **50** (2000), no. 3, 723–749. MR 1779891 (2001i:11067)
- [Rub96] Karl Rubin, *A Stark conjecture “over \mathbf{Z} ” for abelian L -functions with multiple zeros*, Ann. Inst. Fourier (Grenoble) **46** (1996), no. 1, 33–62. MR 1385509 (97d:11174)
- [S⁺10] W. A. Stein et al., *Sage Mathematics Software (Version 4.3.1)*, The Sage Development Team, 2010, <http://www.sagemath.org>.

- [Sch90] A. J. Scholl, *Motives for modular forms*, Invent. Math. **100** (1990), no. 2, 419–430.
- [sd109] *Sage Days 17: Computing with Modular Forms and L-functions*, <http://wiki.sagemath.org/days17>.
- [sd210] *Sage Days 22: Computing with Elliptic Curves*, http://www.msri.org/calendar/sgw/WorkshopInfo/556/show_sgw.
- [Shi67] Goro Shimura, *Construction of class fields and zeta functions of algebraic curves*, Ann. of Math. (2) **85** (1967), 58–159. MR 0204426 (34 #4268)
- [SP10] William Stein and Clement Pernet, *Fast computation of hermite normal forms of random integer matrices*, no. 7, 1675–1683.
- [Stea] William Stein, *Computational number theory course notes*, <http://wiki.wstein.org/09/583e>.
- [Steb] ———, *List of Sage Workshops*, <http://wiki.sagemath.org/Workshops>.
- [Stec] ———, *William Stein's Number Theory Research Blog*, <http://389a.blogspot.com/>.
- [Ste82] G. Stevens, *Arithmetic on modular curves*, Birkhäuser Boston Inc., Boston, Mass., 1982. MR 87b:11050
- [Ste07a] William Stein, *The Birch and Swinnerton-Dyer Conjecture, a Computational Approach*, 2007, <http://wstein.org/edu/2007/spring/bsd/>.
- [Ste07b] ———, *Modular forms, a computational approach*, Graduate Studies in Mathematics, vol. 79, American Mathematical Society, Providence, RI, 2007, With an appendix by Paul E. Gunnells. MR MR2289048
- [Ste09] ———, *Elementary number theory: primes, congruences, and secrets*, Undergraduate Texts in Mathematics, Springer, New York, 2009, A computational approach. MR 2464052 (2009i:11002)
- [Ste10a] ———, *Heegner points on rank two elliptic curves*, <http://wstein.org/papers/kolyconj2/>.
- [Ste10b] ———, *Toward a Generalization of the Gross-Zagier Conjecture*, Internat. Math. Res. Notices (2010), <http://wstein.org/papers/stein-ggz/>.

- [SW02] W. Stein and M. Watkins, *A database of elliptic curves—first report*, Algorithmic number theory (Sydney, 2002), Lecture Notes in Comput. Sci., vol. 2369, Springer, Berlin, 2002, <http://wstein.org/ecdb>, pp. 267–275. MR MR2041090 (2005h:11113)
- [SW10a] W. Stein and C. Wuthrich, *Computations About Tate-Shafarevich Groups Using Iwasawa Theory*, In preparation (2010), <http://wstein.org/papers/shark/>.
- [SW10b] William Stein and Jared Weinstein, *Kolyvagin classes on elliptic curves: structure, distribution, and algorithms*, In preparation.
- [Vat02] V. Vatsal, *Uniform distribution of Heegner points*, Invent. Math. **148** (2002), no. 1, 1–46. MR 1892842 (2003j:11070)
- [Voi06] John Voight, *Computing CM points on Shimura curves arising from cocompact arithmetic triangle groups*, Algorithmic number theory, Lecture Notes in Comput. Sci., vol. 4076, Springer, Berlin, 2006, pp. 406–420. MR 2282939 (2008g:11104)
- [Voi09] ———, *Shimura curves of genus at most two*, Math. Comp. **78** (2009), no. 266, 1155–1172. MR 2476577 (2010h:11099)
- [Wal85] J.-L. Waldspurger, *Sur les valeurs de certaines fonctions L automorphes en leur centre de symétrie*, Compositio Math. **54** (1985), no. 2, 173–242. MR MR783511 (87g:11061b)
- [Wil95] A. J. Wiles, *Modular elliptic curves and Fermat’s last theorem*, Ann. of Math. (2) **141** (1995), no. 3, 443–551.
- [Wil00] ———, *The Birch and Swinnerton-Dyer Conjecture*, http://www.claymath.org/prize_problems/birchsd.htm.
- [Zha01a] Shou-Wu Zhang, *Gross-Zagier formula for GL_2* , Asian J. Math. **5** (2001), no. 2, 183–290. MR MR1868935 (2003k:11101)
- [Zha01b] ———, *Heights of Heegner points on Shimura curves*, Ann. of Math. (2) **153** (2001), no. 1, 27–147. MR 1826411 (2002g:11081)
- [Zha04] ———, *Gross-Zagier formula for $GL(2)$. II*, Heegner points and Rankin L -series, Math. Sci. Res. Inst. Publ., vol. 49, Cambridge Univ. Press, Cambridge, 2004, pp. 191–214. MR MR2083213